

164290

Page 1

Reference: _____

Approvals: Process Plan: 21 Date: JUL 17 2017 Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4634	G								

110		0.00			
110	purchasing				
Purchasing					
Purchasing	Memo	0.00			
	ISSUE P/O: <u>37108</u>				
	SUPPLIER: PLASTECH				
	MANUFACTURE D4634-5 AS PER DWG				
	NOTE: TRIM TO FINISHED DIMENSIONS				
	C OF C IS REQUIRED				

140	Receive & Inspect for Damage & Mat'l Certs	0.00	
140	receiving		
Packaging	Memo	0.00	4x SP17-8-30
Packaging			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 164290

Monday, July 17, 2017 9:21:00 AM

164290

Page 2

Item ID: D4634-5 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Aft, Center Ceiling Panel
Start Date: 7/21/2017 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 8/4/2017 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC6- All purchased or subcontracted products	0.00							
150									
QC	Memo	0.00				①	1709.12		PD
Quality Control									
170	Identify as per dwg & Stock Location: <u>FG342</u>	0.00							
170									
Packaging	Memo	0.00				①			DL 17/09/12
Packaging						③			DAS 07 9-89 17/09/12
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.00							17/9/18 JF
Quality Control									

SEP 13 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Picklist Print

Monday, July 17, 2017 9:21:03 AM

Page 1

Work Order ID: 164290

164290

Parent Item: D4634-5

D4634-5

Parent Item Name: Aft, Center Ceiling Panel

Start Date: 7/21/2017

Required Date: 8/4/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev. A 12/08/09 New Issue DL
12/11/08 Document release DL VERIFIED BY:JLM
Dwg Update DL verf: DD
DL
DL
DL
DL
Verify DD
IPP Rev B
IPP Rev C 13/07/09
IPP Rev D Dwg Update 13/12/23
IPP REV E Dwg update 14/01/09
IPP Rev F Dwg. update 14/02/03
IPP Rev G Dwg. Update 15/01/27
IPP Rev.H 17.06.13 Now outside process DP

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4634-5P		Purchased	No			110	Each	0.0000	1	4			
D4634-5P									**				
Aft, Center Ceiling Panel													
MLEXS.093-F6006-07		Purchased	No			110	sf	1,063.960	17.33	69.32			
MI FXS 093-F6006-07									**				
GE PLASTICS LEXAN SHEET (LIGHT GREY)													

Location

Loc Qty

Loc Code

MAT023

69.56

m129738

69.56

RM

994.4

m135322

194.4

m135517

800

4X SPD 8-30

SEP 13 2017

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due	☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter	☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes	☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center	☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence				
		OTHER :							




D4634-5 AFT. CENTER CEILING PANEL

RELEASED
2015 JAN 26

APPROVED	DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	RF		
	CHECKED	AK	DRAWING NO. D4634	REV. G
	MFG. APPR.	DL	SHEET 14 OF 17	
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS	CENTER CEILING PANELS	NTS

DATE **14.11.28**

COPYRIGHT © 2012 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




D4634-5 AFT. CENTER CEILING PANEL
AUXILIARY VIEW


RELEASED

2015 JAN 26


APPROVED

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AK	DRAWING NO.	REV. G
MFG. APPR.	DL	D4634	SHEET 15 OF 1
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	CENTER CEILING PANELS	NTS
DATE	14.11.28	COPYRIGHT © 2012 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT			







DETAIL P B3-14
SCALE 2X




DETAIL M C3-10
SCALE 2X




DETAIL Q B4-15
SCALE 0.5X D8-17




DETAIL U B7-17
SCALE 0.5X D3-17




DETAIL N C5-17
SCALE 0.5X B4-15




SECTION O-O B6-14
SCALE 1.3X



DETAIL R B3-10
SCALE 4X C3-10
B2-12



DETAIL S B3-10
SCALE 4X C2-12



DETAIL T C2-14
SCALE 4X

RELEASED

2015 JAN 26

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	AK	DRAWING NO. D4634	REV. G
MFG. APPR.	DL	SHEET 17 OF 17	
APPROVED	HS	TITLE CENTER CEILING PANELS	
DE APPR.	DS		
DATE	14.11.28	SCALE NTS	

COPYRIGHT © 2012 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO37108**

Purchase Order Date 7/19/2017

PO Print Date 7/19/2017

Page Number 5 of 9

Order From :

VC-PLT01

PLAS-TECH
115 APPLEWOOD CRESCENT
CONCORD, ONTARIO L4K 5C1

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 416-736-0004

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Total: \$200.00

13	D4634-1P	Fwd, Center Ceiling Panel	7/31/2017 Yes 7/31/2017	4.00 Each	\$100.00	\$400.00
----	----------	---------------------------	-------------------------------	--------------	----------	----------

MANUFACTURE AS PER DWG D4634 REV. G
B164288

Line Total: \$400.00

14	D4634-3P	Middle, Center Ceiling Panel	7/31/2017 Yes 7/31/2017	3.00 Each	\$100.00	\$300.00
----	----------	------------------------------	-------------------------------	--------------	----------	----------

MANUFACTURE AS PER DWG D4634 REV. G
B164289

Line Total: \$300.00

15	D4634-5P	Aft, Center Ceiling Panel	7/31/2017 Yes 7/31/2017	4.00 Each	\$100.00	\$400.00
----	----------	---------------------------	-------------------------------	--------------	----------	----------

MANUFACTURE AS PER DWG D4634 REV. G
B164290

Note:

7/19/2017

Packing Slip



115 Applewood Crescent
Concord, ON, L4K 5C1
PLASTECHONLINE.COM
P- 416 736 0004
F- 416 736 0010

Shipment Number: 24077
Shipment Date: 08/25/2017
BOL Number:
Customer Key: C1887
Salesperson: MIKE AUBE
Page Number: 2 of 2

B DART AEROSPACE LTD.
I 1270 ABERDEEN STREET
L HAWKESBURY ON K6A 1K7
L CA
T Attn: ROBERT ABOUD
O Buyer Contact: ROBERT ABOUD

S DART AEROSPACE
H 1270 ABERDEEN STREET
I HAWKESBURY ON K6A 1K7
P CA
T Attn: ROBERT ABOUD
O

Item Number - Revision	Description	Quantity Shipped	UOM
D4634-1P - Rev.: G	FWD, CENTER CEILING PANEL HS Code: 3920.61.1000 - OTHER Country of Origin : CA	4	EA
D4634-3P - Rev.: G	MIDDLE, CENTER CEILING PANEL HS Code: 3920.61.1000 - OTHER Country of Origin : CA	3	EA
✓ D4634-5P - Rev.: G	AFT, CENTER CEILING PANEL ✓ HS Code: 3920.61.1000 - OTHER Country of Origin : CA	4	EA
D4635-1 - Rev.: F	FWD CEILING PANEL, LH AS PER DWG D4635 REV. F HS Code: 3920.61.1000 - OTHER Country of Origin : CA	3	EA
D4635-2 - Rev.: F	FWD CEILING PANEL, RH AS PER DWG D4635 REV. F HS Code: 3920.61.1000 - OTHER Country of Origin : CA	3	EA
D4635-3 - Rev.: F	AFT CEILING PANEL, LH AS PER DWG D4635 REV. F HS Code: 3920.61.1000 - OTHER Country of Origin : CA	3	EA
D4635-4 - Rev.: F	AFT CEILING PANEL, RH AS PER DWG D4635 REV. F HS Code: 3920.61.1000 - OTHER Country of Origin : CA	3	EA

SPA-8-3U

Number of Containers

Gross Weight

Shipped By